



St. Johns County Building Department  
 4040 Lewis Speedway  
 St. Augustine, FL 32084  
 Phone: 904-827-6800 Fax: 904-827-6849

## COMMERCIAL POOL/SPA RESURFACING AFFIDAVIT

I, (NAME) \_\_\_\_\_, (License number) \_\_\_\_\_ hereby acknowledge to adhere to the Florida Building Code as outlined below for resurfacing a Commercial swimming pool and/or spa.

FBC454.11.1 Repairs or alterations of pool structure and equipment. Replacement of the pool or spa shell is considered to be construction of a new facility and shall be processed as such. Resurfacing the pool interior to original nontoxic, slip-resistant and smooth specifications is considered a repair or alteration. The following items shall be addressed during resurfacing projects:

**454.1.10.1.1** The lip of the gutter must be leveled to within ¼ inch (6.4 mm) between the highest and lowest point and downward slope from the lip to the drain must be maintained as originally designed or increased, but shall not exceed new construction standards.

**454.1.10.1.2** Tile step markings must be installed meeting the requirements of section 454.1.2.5.3

**454.1.10.1.3** Where applicable, the slope break marking must be installed meeting the requirements of section 454.1.2.2.3.2 and safety line must be installed 2 feet (610 mm) before the marking.

**454.1.10.1.4** Depth markers and NO DIVING markers must be installed in accordance with section 454.1.2.3

**454.1.10.1.5** The pool ladder must have a 3 to 6 inches (76 to 152 mm) clearance from the pool wall. New cross-braced ladder(s) shall be installed in place of non cross-based ladder(s) in conformance with section 454.1.2.5.1 during a pool resurfacing

**454.1.10.1.6** Should resurfacing works affect the step riser heights, no riser shall exceed 12 inches (305 mm) for pools and 12 inches (305 mm) for spas, and the intermediate risers shall be made uniform.

**454.1.10.1.7** Step treads that protrude from the pool wall shall be removed and replaced with a cross braced ladder or reconstructed to meet the requirements of section 454.1.2.5.1 or 454.1.2.5.2

**The County Health Department shall be notified in writing of any proposed pool resurfacing or upgrades to decking prior to commencement. The notification shall include an itemized list of all proposed work that is to be performed, the license number of the contractor selected and shall indicate that all work will meet the requirements of Section 64E9.005(2)(a) through (g), F.A.C. Upon completion of the work the licensed contractor shall provide the County Health Department a letter bearing their license number which certifies that the work was completed in accordance with Section 64E-9.005 (2)(a) through (g), F.A.C.**

\_\_\_\_\_  
 Prime Contractor Printed Name

\_\_\_\_\_  
 Signature and Date

Sworn and Subscribed before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ by \_\_\_\_\_ who is \_\_\_ personally known, or produced \_\_\_\_\_ as identification.